



**REGULAR MEETING OF COUNCIL
TUESDAY, MAY 24TH, 2022
6:00 P.M.**

3. PETITIONS & DELEGATIONS

**3.1 MR. DANIEL LONGLADE & MS. JESSICA DION OF
BAKER TILLY SNT – RE: 2021 MUNICIPAL FINANCIAL
STATEMENTS**

4. CORRESPONDENCE

**DR. S. F. MONESTIME MUNICIPAL
COUNCIL CHAMBERS
160 WATER STREET
MATTAWA, ONTARIO**

3.1

**Mr. Daniel Longlade and Ms. Jessica Dion of Baker Tilly SNT
will be presenting the 2021 Municipal Financial Statements**

Info

Copy to agenda

From: Sharon Armstrong <sarmstrong@ossqa.com>
Sent: May 19, 2022 8:45 AM
To: Sharon Armstrong
Subject: Importance of Close-to-Market Aggregate in Ontario
Attachments: Importance of Close-to-Market Pits and Quarries May 2022 Issue 2.pdf

4.1

Good morning,

Please find enclosed a newsletter from the Ontario Stone, Sand & Gravel Association on the Importance of Close-to-Market Pits and Quarries in Ontario. This information has been developed in response to a campaign underway by the Reform Gravel Mining Coalition.

As always, OSSGA staff and/or our member aggregate producers in your municipality would be happy to discuss any questions or concerns you may have.

Sharon Armstrong
Vice-President, Communications & Operations

Ontario Stone, Sand & Gravel Association (OSSGA)
5720 Timberlea Boulevard, Unit 103
Mississauga, ON L4W 4W2
Direct: 647-727-8775
www.ossqa.com

THE IMPORTANCE OF CLOSE-TO-MARKET PITS AND QUARRIES IN ONTARIO

May 2022

— a response to the Reform Gravel Mining Coalition

ISSUES

- 1 Ontario needs a stable, close-to-market supply of stone, sand and gravel. Aggregate is an essential ingredient to our modern world. It's in the buildings where we live and work. It's in the roads and sidewalks we drive and walk on. It's used in water purification processes, and in the manufacture of everything from paper and paint to chewing gum.
- 2 The gravel industry is a clean, safe industry. No chemicals are used in the processing of aggregate. The greatest environmental impact is in the trucking of aggregate to the job site. That's why the environmentally smart answer is close-to-market pits and quarries.
- 3 Ontario's current application process for gravel mining is one of the most rigorous in the world: It...
 - Is governed by the *Aggregate Resources Act*, its regulations, standards and policies and inspections.
 - Includes the requirement to comply with 24 additional pieces of legislation.
 - Includes multiple peer reviewed studies for air, noise, hydrogeology, traffic, agriculture, cultural heritage, and more.
 - Requires the submission of detailed rehabilitation plans — for each phase of the site, as well as final rehabilitation — prior to the issuance of a licence.
 - Requires the Minister to consider whether adequate consultation with Indigenous Peoples has been carried out.
 - Includes public consultation requirements under the *ARA* as well as municipal zoning applications.
 - Requires many more permits once the licence is approved: Environmental Compliance Assessments, Permits to Take Water, permits under the *Endangered Species Act*...
 - Requires annual compliance assessment reporting and on-going monitoring.

RECENT AGGREGATE POLICY REVIEW

- 1 Following extensive stakeholder engagement, new legislation was introduced as the *Aggregate Resources Act, 2018*. In 2020 a new round of consultation was undertaken with significant changes to the regulations under the *ARA*. In 2021, new standards were introduced. Today, policies are being updated.
- 2 The *Provincial Policy Statement 2020* was updated to provide clarity that the *ARA* is the appropriate instrument to regulate depth of extraction. The Act was updated to prescribe a new more onerous amendment process for producers who want to go from above to below water extraction. Technical reports are now required (water assessment, natural environment assessment, planning and land use considerations and source water considerations) and the same public consultation, with the ability for objectors to appeal decisions to the Ontario Land Tribunal, as a new pit or quarry application.



ONTARIO STONE, SAND
& GRAVEL ASSOCIATION

GravelFacts.ca

FOUR FACTS ON GRAVEL MINING IN ONTARIO

FACT #1

The industry does NOT consume 5,000 new acres of land per year.

- The Reform Gravel Mining Coalition has misrepresented statistics it gleaned from The Ontario Aggregate Resources Corporation (TOARC) production statistic reports.
- Since 1998 the areas of the province subject to the ARA has increased by more than a third. As the jurisdiction of the ARA grew the existing sites in those areas were issued licences, and these new higher numbers were reported by TOARC. The vast majority of these new licences were **existing sites** that became subject to the *Aggregate Resources Act*.
- The Coalition erroneously took an average from 1998 not understanding that these were not new sites. This is just one example of how the Coalition has misrepresented statistics.
- In the past 5 years, 77 new sites have been approved, and 300 sites have been closed and fully rehabilitated. **The reality is we are not replacing our close-to-market supply of aggregate sites.**

FACT #2

To meet Ontario's future need for aggregate, the Province needs an environmentally responsible close-to-market supply.

- The industry estimates there is a 10-year supply of licenced, quality close-to-market aggregate.
- It currently takes approximately 10 years to approve a new site, that's why applications are being made today for sites that will be needed to supply the needs of future Ontarians.
- Ontario will require nearly 4 billion tonnes of aggregate over the next 20 years to meet the needs of the population growth of more than 4 million projected by the Government of Ontario. Demand of aggregate is expected to increase from 160 million to 190 tonnes per year.
- Not all aggregate is the same. To meet the needs of the construction industry we need a mix of sites, all located close-to-market.
- To reduce GHGs, the most important way to protect the environment is to locate pits and quarries as close to where the resource is needed as possible to reduce truck emissions.

FACT #3

The aggregate industry pays its fair share.

- A decades-old issue with the MPAC valuation system for aggregate has seen several changes in the methodology for calculating values causing frustration for both municipalities and industry. This issue is currently before the courts. But municipalities must recognize that:
 - Each year, the aggregate industry pays, in addition to municipal taxes, \$30+ million dollars in aggregate levies in Ontario, the majority of which goes to municipalities.
 - Aggregate is the only industry to pay such a levy — despite the fact there are 200,000 trucks on the roads in Ontario every day — only 6,000 of which are aggregate trucks.
 - Producers are proud employers in their communities and support hundreds of local charities and local events across Ontario.

FACT #4

We need informed public policy.

- The Reform Gravel Mining Coalition has presented a series of misleading and/or exaggerated claims that hinder an informed discussion about aggregate policy in Ontario.
- No government that supports economic growth, affordable housing or immigration should support a moratorium on the bedrock of our economy. We understand you and your constituents may have questions. We're here to help. Visit GravelFacts.ca.

The Corporation of the City of Cambridge
Corporate Services Department
Clerk's Division
The City of Cambridge
50 Dickson Street, P.O. Box 669
Cambridge ON N1R 5W8
Tel: (519) 740-4680 ext. 4585
mantond@cambridge.ca

May 18, 2022

Re: Motion: Councillor Hamilton re: Request to the Region of Waterloo to Consider Free Public Transportation on Election Days

At the Special Council Meeting of May 18, 2022, the Council of the Corporation of the City of Cambridge passed the following Motion:

WHEREAS there has been an overall and consistent decline in voter turnout for municipal, provincial, and federal elections in Canada and in Waterloo Region, despite the act of voting being essential to the proper functioning of the democratic process;

WHEREAS many residents struggle to access transportation to polling stations on election days, due to a lack of transportation available, physical mobility or accessibility issues, and/or socioeconomic status;

WHEREAS any initiative to boost attention and incentives to vote on election days warrants attention and exploration in order to assist the democratic process and increase voter turnout;

THEREFORE, BE IT RESOLVED THAT correspondence be sent to the Region of Waterloo on behalf of Cambridge Council to request free public transportation on election day for the Municipal and School Board Election, as well as for the Provincial, and Federal Election days, so as to generate more attention about elections and polling station locations, and to encourage and make it possible for more residents to vote, that would otherwise be unable to access their polling stations.



Should you have any questions related to the approved resolution, please contact me.

Yours Truly,

A handwritten signature in blue ink that reads "Danielle Manton". The signature is written in a cursive style.

Danielle Manton
City Clerk

Cc: (via email)
Hon. Premier Ford
Association of Municipalities of Ontario
City of Cambridge Council



copy to agenda

4.3

May 18, 2022

Federation of Canadian Municipalities (FCM);

Association of Municipalities of Ontario (AMO);

Sent via email: resolutions@fcm.ca; policy@amo.on.ca

To Whom it may concern:

Please be advised that Brantford City Council at its Special City Council meeting held May 17, 2022 adopted the following:

5.1 Release of all Federal and Provincial Documents Related to the Former Mohawk Institute Residential School

WHEREAS the Truth and Reconciliation Commission Final Report, 2015 confirmed that Residential Schools were part of a coherent policy implemented by the Federal Government to eliminate Indigenous people as distinct Peoples and to assimilate them into Christian society against their will; and

WHEREAS the Deputy Minister of Indian Affairs Duncan Campbell Scott outlined the goals of that policy in 1920, when he told a parliamentary committee that "our object is to continue until there is not a single Indian in Canada that has not been absorbed into the body politic..."; and

WHEREAS the Truth and Reconciliation Commission Final Report, 2015 also confirmed that despite the coercive measures that the government adopted, it failed to achieve its policy goals. Although Indigenous Peoples and cultures have been badly damaged, they continue to exist; and

WHEREAS the former Mohawk Institute Residential School operated from 1831 to 1970 within the boundaries of what is now the City of Brantford; and

WHEREAS Survivors have released statements of missing, murdered, and buried students; and

WHEREAS, to date, the unmarked burials of over 7000 missing Indigenous children have been discovered nation-wide; and

WHEREAS, following the May 2021 announcement by Tk'emlúps te Secwépemc First Nation of locating 215 potential burials of children in unmarked graves at the Kamloops Indian Residential School in British Columbia, the Survivors of the Mohawk Institute,

along with their families and community members called on the Federal and Provincial governments to support a search for the remains of missing children who may have been buried on the Mohawk Institute's grounds and the surrounding area; and

WHEREAS, as of November, 2021, a search, led by the Survivors' Secretariat, of the Mohawk Institute Residential School grounds and over 200 hectares of land associated with the school began; and

WHEREAS Survivors of the Mohawk Institute Residential School are demanding the release of all Federal and Provincial documents related to the former Mohawk Institute Residential School; and

WHEREAS staff of the City of Brantford are currently undertaking a search of City records and archives for any documents, maps, or other relevant information related to the operation of the Mohawk Institute Residential School in order to release this information to the Survivors' Secretariat to aid in the search for truth, justice and healing; and

WHEREAS this Council is committed to working to advance reconciliation and renewed relationships with First Nations; and

WHEREAS the Truth and Reconciliation Commission of Canada issued 94 Calls to Action, thirteen of which are directed at municipal governments;

NOW THEREFORE BE IT RESOLVED:

- A. THAT the Council of The Corporation of the City of Brantford respectfully REQUESTS THE IMMEDIATE RELEASE, to the Survivors' Secretariat, of all documents in the possession of the Government of Canada or the Government of Ontario and the Anglican Church related to the former Mohawk Institute Residential School now located on Six Nations of the Grand River Territory, within the geographic boundaries of the City of Brantford; and
- B. THAT the Clerk BE DIRECTED to send a copy of this resolution to: Prime Minister Justin Trudeau; Premier Doug Ford; Minister of Crown-Indigenous Relations Marc Miller; Minister of Indigenous Services, Patty Hajdu; Minister of Indigenous Affairs, Greg Rickford; Linda Nicholls, Primate of the Anglican Church of Canada; MPP Will Bouma; MP Larry Brock, Mayor David Bailey; Chief Mark Hill; Chief Stacey Laforme; and the Survivors' Secretariat; and
- C. THAT the Clerk BE DIRECTED to send a copy of this resolution to the Federation of Canadian Municipalities (FCM) and the Association of Municipalities Ontario (AMO) for circulation to all municipalities in Ontario with an invitation to adopt a similar resolution, and, specifically, to those located within the Haldimand Tract,

including: Haldimand County; the County of Brant; the City of Cambridge; the City of Kitchener; the City of Waterloo; and the Region of Waterloo.

I trust this information is of assistance.

Yours truly,



Tanya Daniels
City Clerk, tdaniels@brantford.ca

Cc All Ontario Municipalities
Survivors' Secretariat

RECEIVED

MAY 17 2022

The Turcottes

317 Main Street
Mattawa, On P.O Box 754
POH 1V0

May 17 2022

Copy to agenda

4.4

Hello Mattawa Mayor and Council

We are located and opening Turcotte's Chipstand on 317 Main Street in the back parking lot area, with our new plans we need a safe clear accessible walkway.

We are kindly requesting the front walkway beside 317 Main Street be open with the removal of the sign.

As well we are requesting the relocation of the large statue directly in front of our store. We are requesting this change as this front area will now be a highly used walkway to access our chipstand and we are also hoping to add our signage, and decorations to that side area of the building where the statue is taking up all our area in front.

We thank you for taking this into consideration and If there is anything we can help in the process please let us know.

We appreciate your time,

Sincerely, Dan & Tam Turcotte

Amy Leclerc

copy to agenda

From: Renee Paquette
Sent: May 17, 2022 3:11 PM
To: Amy Leclerc
Subject: Fwd: Fundraiser voyageur weekend

4.5

Correspondance for agenda

Renée

Begin forwarded message:

From: "melanie" <melanieranger@hotmail.com>
Date: May 17, 2022 at 3:09:34 PM EDT
To: Renee Paquette <Renee.Paquette@mattawa.ca>
Subject: Fundraiser voyageur weekend

Hi my name is Melanie Montreuil I am in charge of the fundraising with the Mattawa Childcare Centre. Our next fundraiser will be starting soon it is the "Grocery Grab" This is a 3-minute shopping spree of groceries from Huard's Freshmart. This will be our 5th year hosting this fundraiser. I am just looking for information if the staff are able to set up a table on main St during voyageur weekend to sell tickets. We will bring all our own setup ex: Table, Chairs, Advertisement accessories to catch people's attention, cash box, tickets and our own license number. I would just like information if we are able to do this and how we go along doing it. Signing papers or paying a fee to sit and sell tickets. Can you please let me know? My e-mail is melanieranger@hotmail.com or call 705-493-7182. Thank you.

Info

From: AMO Events <events@amo.on.ca>
Sent: May 14, 2022 7:02 AM
To: Info
Subject: AMO 2022 Conference - A Year of Important Elections

4.6

AMO Update not displaying correctly? [View the online version](#)
Add Communicate@amo.on.ca to your safe list



AMO 2022



May 14, 2022

AMO 2022 Conference - A Year of Important Elections

AMO 2022 – On the Heels of the Provincial Election

AMO's Annual General Meeting and Conference will be held a few short months following the provincial election. Delegates will have an important opportunity to hear first-hand about the government's priorities, meet with Cabinet Ministers through [delegation meetings](#) and participate in the Ministers' Forum. For your front row seat to the provincial government's agenda and priorities [register today](#).

AMO Board Election

2022 is an AMO Board election year. Delegates will have an opportunity to decide who governs one of Canada's most influential public policy and advocacy organizations. Information about the Board nominations process is available [here](#). To participate in the election and caucus lunches, make sure to choose your caucus when [registering](#).

2022 Municipal Elections

AMO 2022 will be the last major gathering of Ontario's municipal officials before the October 2022 municipal elections. The AMO conference provides an important opportunity to connect with colleagues, share information and knowledge, and to learn about building strong, vibrant and sustainable communities. Watch this space for additional program details in the weeks ahead.

Question? events@amo.on.ca

Disclaimer: The Association of Municipalities of Ontario (AMO) is unable to provide any warranty regarding the accuracy or completeness of third-party submissions. Distribution of these items does not imply an endorsement of the views, information or services mentioned.

Info

From: Continuous Improvement Fund <communications@thecif.ca>
Sent: May 13, 2022 10:01 AM
To: Info
Subject: Circular Materials Ontario Releases Their Master Service Agreement and Schedules of Work for Blue Box Collection Services

4.7

No images? [Click here](#)



Bulletin

Circular Materials Ontario Releases Their Master Service Agreement and Schedules of Work for Blue Box Collection Services

Circular Materials Ontario has published their [Master Service Agreement and Schedules of Work](#) for Blue Box collection services. Additionally, they have posted a survey for you to indicate your desire to provide services or not during the transition period (due June 30). The slides they presented in the AMO webinar and a list of responses to the questions posed during the webinar, are also posted.

CIF and M3RC staff are working on an assessment of the contract documents. We would be interested in your reactions/responses to the documents and a sense of whether you would accept or reject these terms as presented.

A sector-wide webinar will be held the coming weeks to discuss the documents and your reactions to them. Please watch for invitation details.

CIF Team

Carrie Nash
 Co-Managing Director
cnash@thecif.ca
 519-282-1035

Geoff Rathbone
 Co-Managing Director
grathbone@thecif.ca
 416-464-7455

Jessica Landry
 Project Coordinator
jlandry@thecif.ca
 226-929-2353

M3RC

If you have any questions or would like to discuss further, please reach out to the [CIF](#) team, or [Dave Gordon](#) of M3RC.

Dave Gordon
Senior Advisor, Waste
Diversion, AMO
dgordon@amo.on.ca
416-268-2994

 Forward

The Continuous Improvement Fund

132 Commerce Park Dr., Unit K, Ste. 511, Barrie, ON L4N 0Z7
thecif.ca | communications@thecif.ca

[Preferences](#) | [Unsubscribe](#)

SYSTEM OVERVIEW

January 1st to March 31st, 2022

OPERATIONAL HIGHLIGHTS

copy to agenda ✓
copy to Jp2g (AMP) ✓
orig to Water Dept ✓
file
4.8

Drinking Water System

- The water treatment system operated well during the first quarter.
- Lily St. Service – Mattawa Public Works crew repaired broken service.
- Brydges St. Service - Town of Mattawa is doing a curb stop/service repair today. The plan is to keep the water mains on while the repair is completed. However if the is not able to be done, they will throttle the mains and shut down once the proper air gap has been attained. I will check in with them as the day goes on to see how the progress is coming. If things change I will make the proper notification to all involved as soon as I know.
- 7th and McKenzie main break - Mattawa public works has made quick work of the water main break. Positive pressure was maintained throughout the repair. It was broke 1/2 way around the pipe in a circumferential manner. A pipe clamp was put on as a repair. All parts were chlorinated before putting on. If you have any further questions please contact me by email or phone.
- 333 Main St Service - A repair was completed on the 3/4" service that feeds the building on the corner of Bangs St and Main St. There was a pencil sized hole at the main stop. We cut out approx. 3' of copper line and replaced with new copper. All parts were chlorinated prior to install. There was no loss or lower pressure as it was completed under full pressure.
- 391 Mattawan St Service - The entire service line was replaced, with a new curb stop installed. The 3/4" copper service was not in the best of condition and the decision was made to replace the entire line while the excavation was open. The old copper was replaced with 3/4" poly pipe and a new curb stop and standpipe. All parts were chlorinated prior to install. Pressure in the area was lowered to reduce the amount of water in the excavation.
- 541 Donald St Service - This repair was more challenging due the main being 9' deep and to the ground water that kept washing in the excavation. A small repair at the curb stop was the original intention as the main was so deep. Once the excavation was made at the curb stop and the service was cut to install the 4' section of new water service, it was seen that the copper was in very bad condition and would not last. The home was provided with the temporary connection until we could complete the entire excavation to the main. Once the excavation was completed to the main. The old 3/4" copper service was replaced with a new 3/4" copper line from the main to the curb stop. A new curb stop and standpipe were also installed. While replacing the curb stop we had to cut approx. 1' of the homeowner's service off to find a good straight piece of line to attach our new line to. In doing this, we repaired the homeowner's leak that was at the curb stop. All parts were chlorinated prior to installation. This repair and excavation was all completed while the main was under full pressure.
- Printer with scanner failure was replaced.

Wastewater Treatment

- The wastewater treatment system performed well during the first quarter.
- Lagoon UV discussions ran their course with MECP engineer. Essentially the UV can be replaced like-for-like, however the current UV system will not meet future requirements when new ECA's are rolled out. There will be a need for significant upgrades to the effluent disinfection and outfall systems to provide redundancy and disinfect much higher flows than at present. The replacement of the obsolete lagoon UV had to be deferred due to the fact that the water treatment plant requires SCADA, PLC and UV system replacement. These systems are failing and have taken priority.

CAPITAL PLAN PROGRESS

Drinking Water System

- Well house backflow preventer sprung a leak and was repaired.
- Programming was required to fix daily reports and the 3G network to the reservoir.
- Generator failed to run during test. Service technician purged air from the fuel system and returned it to normal operation.

Wastewater Treatment System

- N/A

ASSET MANAGEMENT

See Appendix A - Work Order summary for water treatment plant (WTP)
See Appendix B - Work Order summary for wastewater treatment lagoon (WWTL)

CALL-OUT SUMMARY

See Appendix C – Call-out Report for WTP
See Appendix D – Call-out Report for WWTL

REGULATORY

- All drinking water samples required under O. Regulation 170/03 were collected and tested in the first quarter of 2022 and all results fell within regulatory limits.
- Ministry of the Environment, Conservation and Parks (MECP) inspection took place on January 19, 2022. Final inspection rating of pending with one non-compliance and one best practice recommendations identified. Non-compliance issue resolved with the best practice recommendation is ongoing.
- Jumo computer program was downloaded in order to collect and provide data requested by MECP inspector.

- 2021 annual report completed February 24, 2022.
- Permit to take Water (PTTW) reporting completed January 24, 2022.
- Quarterly trihalomethanes (THM), haloacetic acids (HAA), Nitrate and Nitrite sampling completed January 25/31, 2022.
- No Ministry of Labour (MOL) inspections conducted this quarter.
- AWQI 157997 McConnel St. service/main break. March 15, 2022 - Category 2 break with suspected infiltration due to total loss of pressure resulting from a contractor breaking a service off. Area affected are McConnel, Poplar, Mattawan. 30 residents and 2 businesses. The main was isolated on March 15 at 1413 hours and the repair occurred on March 15 at 1930 hours. The local Health Unit was notified and a BWA was issued for the affected area (30 residents and 2 businesses). Certified OCWA operator conducted the repair. OCWA's OIC oversaw the repair. All materials were disinfected and the area flushed as per the Ministry's Watermain Disinfection procedure (FCR = 0.70 mg/L). Repair was completed and the pressure was restored on March 15 at 1930 hours. SAC and the local MECF inspector were notified of the incident and the notification report was emailed to SAC, MOH and Owner on March 15. After the repair was complete and the area was flushed, 2 sets of 3 microbiological samples were collected (upstream, downstream and at the site of the break) on March 15 and 17. Sample results indicated no total coliforms or E.coli. BWA was lifted on March 18 at approx.1440 hours. Resolution submitted on March 18, 2022 after the final lab report received. OIC - Joshua DeWaal.
- All required sewage samples required under the system's Environmental Compliance Approval (ECA) were collected and tested in the first quarter of 2022.
- 2021 annual sewage report completed February 14, 2022.
- Annual WSER reporting completed.

INCIDENTS AND COMPLAINTS

Mattawa Drinking Water System

Incident	n/a
Date	
Details	

Mattawa Wastewater System

Incident	n/a
Date	
Details	

HEALTH AND SAFETY

- Staff training completed on WHMIS.
- Staff training completed on H&S Workplace Inspection Program.
- Staff training completed on Proper Lifting Devices.
- Annual certifications for confined space lifting rigs and gas meters completed.

MATTAWA DRINKING WATER SYSTEM PERFORMANCE

See Appendix E – Performance Assessment Report Water

MATTAWA WASTEWATER TREATMENT LAGOON – WASTEWATER FLOW SUMMARY

See Appendix F – Performance Assessment Report Wastewater



Appendix A - Work Order Summary for WTP

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1517*
 Work Order Type CAP,CORR,OPER,PM
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2636634			1517 Mattawa DWS	CAP	Refurbish Replace Repair	0		Mattawa WTP Backflow Preventer Tank Repair	COMP		14/22/10 17 AM	14/22/10 17 AM	Backflow Preventer Leak Repair -BFP leaking casing cap, repaired by service technician
2720763	0000328759	PANEL CONTROL PUMP	1517 Mattawa DWS	CORR	Compliance	0		WTP SCADA Report Generation Issues	COMP		11/22/03 01 PM	11/22/03 01 PM	WTP SCADA Report Generation Issues - SCADA and PLC programming required to troubleshoot reporting issues Technician was successful in restoring the connection and transfer the SCADA file from INSIDE the VNC environment instead of VNC file transfer. Restarted the SCADA and looked at the Trending Screen to verify that the new UVF is being collected and displayed on both trends and collector
2726521	0000328758	VALVE REGULATING	1517 Mattawa DWS	CORR	Refurbish Replace Repair	0		Singer valve Pressure Line Repair-1517	COMP		3/28/22 10 03 AM	3/28/22 10 03 AM	Singer valve Pressure Line Repair-1517 - Singer valve had a leaking flare fitting on the regulating side of the valve. Bought new fittings from hardware and replaced the leaking fittings. March 18 22 JD
2616738	0000328761	ANALYZER TURBIDITY PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Turbidity Analyzer Calibration (1m) 1517	COMP	11/22/12 00 AM	4/4/22/09 46 AM	4/4/22/09 46 AM	
2616759	0000328760	GENERATOR ELECTRIC DIESEL	1517 Mattawa DWS	PM	Refurbish Replace Repair	1	MONTHS	Generative Monthly Test (1m) 1517	COMP	11/22/12 00 AM	4/4/22/10 39 AM	4/4/22/10 39 AM	
2616758	0000328779	UV LIGHT REACTOR #1	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVF Reference Sensor check (UVF1) (1m) 1517	COMP	11/22/12 00 AM	4/4/22/10 19 AM	4/4/22/10 19 AM	UVF 1 Check - UV # 1 Still out of service
2706617			1517 Mattawa DWS	PM	Inspection	1	MONTHS	Alarm Diabler Route (1m) - 1517	COMP	11/22/12 00 AM	4/4/22/10 50 AM	4/4/22/10 50 AM	
2706626			1517 Mattawa DWS	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1517	COMP	11/22/12 00 AM	4/4/22/10 50 AM	4/4/22/10 50 AM	
2706611	0000328732	TANK STORAGE HOT WATER	1517 Mattawa DWS	PM	Refurbish Replace Repair	1	YEARS	Hot Hot Water Insp (1m) - 1517	COMP	11/22/12 00 AM	4/4/22/10 50 AM	4/4/22/10 50 AM	
2706642	0000328758	VALVE REGULATING	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Valve Regulating Inspection (1m) 1517	COMP	11/22/12 00 AM	4/4/22/10 51 AM	4/4/22/10 51 AM	

Workorder Summary Report

Report Start Date: Jan 1, 2022 12:00 AM
 Report End Date: Mar 31, 2022 11:59 PM
 Location: 1517*
 Work Order Type: CAP-CORR-OPER-PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2706724			1517 Mattawa DWS	PM	Calibration	1	MONTHS	Analyser Chlorine Inspection Service (1m) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:52 AM	4/4/22 10:52 AM	
2706511	0000328770	UV LIGHT REACTOR #1	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVF Reference Sensor check (UV#1) (1m / 1y) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:53 AM	4/4/22 10:53 AM	- UVF not back in service yet
2706534	0000328771	UV LIGHT REACTOR #2	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVF Reference Sensor check (UV#2) (1m / 1y) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:49 AM	4/4/22 10:49 AM	
2706517	0000328765	ANALYZER CHLORINE UNIT #1 PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Portable chlorine Analyser #1 Calibration (1m) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:49 AM	4/4/22 10:49 AM	
2706560			1517 Mattawa DWS	PM	Refurbish Replace Repair	1	MONTHS	UVF Service (Spring & Fall) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:50 AM	4/4/22 10:50 AM	
2706587	0000328767	ANALYZER UV PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	UVF Analyser calibration to yellow box (1m) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:50 AM	4/4/22 10:50 AM	
2706608			1517 Mattawa DWS	PM	Refurbish Replace Repair	1	YEARS	Actuator Electric Inspection Service (1y) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:55 AM	4/4/22 10:55 AM	
2662918			1517 Mattawa DWS	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:45 AM	4/4/22 10:45 AM	
2662931			1517 Mattawa DWS	PM	Inspection	1	YEARS	Ups Batter Bank Insp Service (1y) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:53 AM	4/4/22 10:53 AM	
2662938	0000328758	VALVE REGULATING	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Valve Regulating Inspection (1m) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:45 AM	4/4/22 10:45 AM	
2663072			1517 Mattawa DWS	PM	Calibration	1	MONTHS	Analyser Chlorine Inspection Service (1m) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:47 AM	4/4/22 10:47 AM	
2706521	0000328763	ANALYZER TURBIDITY PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Turbidity Analyser Calibration (1m) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:48 AM	4/4/22 10:48 AM	
2706528	0000328760	GENERATOR ELECTRIC DIESEL	1517 Mattawa DWS	PM	Refurbish Replace Repair	1	MONTHS	Generator Monthly Test (1m) 1517	COMP	3/1/22 12:00 AM	4/4/22 10:49 AM	4/4/22 10:49 AM	
2662929	0000328760	GENERATOR ELECTRIC DIESEL	1517 Mattawa DWS	PM	Refurbish Replace Repair	1	MONTHS	Generator Monthly Test (1m) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:43 AM	4/4/22 10:43 AM	
2662932	0000328770	UV LIGHT REACTOR #1	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVF Reference Sensor check (UV#1) (1m / 1y) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:43 AM	4/4/22 10:43 AM	UVF out of service
2662935	0000328771	UV LIGHT REACTOR #2	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVF Reference Sensor check (UV#2) (1m / 1y) 1517	COMP	2/1/22 12:00 AM	4/4/22 10:43 AM	4/4/22 10:43 AM	

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1517*
 Work Order Type CAP.CORROPER.PM
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Work Order Description	Status	Workorder Details			WorkLog Detail
				Type	Class	FEQ	Units			Schedule Start	Actual Start	Actual Finish	
2667838	0000128765	ANALYZER CHLORIDE UNIT #3 PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Portable chlorine Analyzer #3 Calibration (1m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:44 AM	4 4 22 10:44 AM	
2667838	0000128767	ANALYZER UV PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	UVT Analyzer calibration to yellow box (1m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:44 AM	4 4 22 10:44 AM	
2667892			1517 Mattawa DWS	PM	Inspection	1	MONTHS	Alarm Dialer Route (1m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:45 AM	4 4 22 10:45 AM	
2616914			1517 Mattawa DWS	PM	Refurbish Replace Repair	1	YEARS	Annual Facility Valves Inspection (1) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:41 AM	4 4 22 10:41 AM	
2616921	0000128758	VALVE REGULATING	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Valve Regulating Inspection (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:41 AM	4 4 22 10:41 AM	
2617183			1517 Mattawa DWS	PM	Calibration	1	MONTHS	Analyzer Chlorine Inspection Service (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:42 AM	4 4 22 10:42 AM	
2667896			1517 Mattawa DWS	PM	Inspection	6	MONTHS	CL2 sensor change Electrolyte and membrane cap (6m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:52 AM	4 4 22 10:52 AM	
2667813	0000128787	ANALYZER UV TRANSMITTANCE	1517 Mattawa DWS	PM	Refurbish Replace Repair	3	MONTHS	UV Transmitter Optics calibration (3m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:42 AM	4 4 22 10:42 AM	
2667824	0000128763	ANALYZER TURBIDITY PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Turbidity Analyzer Calibration (1m) 1517	COMP	2 1 22 12:00 AM	4 4 22 10:43 AM	4 4 22 10:43 AM	
2616762	0000128771	UV LIGHT REACTOR #2	1517 Mattawa DWS	PM	Calibration	1	MONTHS	UVR Reference Sensor check (UV#2) (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:40 AM	4 4 22 10:40 AM	
2616763	0000128765	ANALYZER CHLORIDE UNIT #3 PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	Portable chlorine Analyzer #3 Calibration (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:40 AM	4 4 22 10:40 AM	
2616840			1517 Mattawa DWS	PM	Inspection	1	MONTHS	Replace UV Air Filters 1517	COMP	1 1 22 12:00 AM	4 4 22 10:40 AM	4 4 22 10:40 AM	
2616838	0000128767	ANALYZER UV PORTABLE	1517 Mattawa DWS	PM	Inspection	1	MONTHS	UVT Analyzer calibration to yellow box (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:40 AM	4 4 22 10:40 AM	
2616833			1517 Mattawa DWS	PM	Inspection	1	MONTHS	Alarm Dialer Route (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:40 AM	4 4 22 10:40 AM	
2616901			1517 Mattawa DWS	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1517	COMP	1 1 22 12:00 AM	4 4 22 10:41 AM	4 4 22 10:41 AM	



Appendix B - Work Order Summary for WWTL

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1541*
 Work Order Type CAP,CORR,OPER,PM
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FREQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2616228			1541, Mattawa Wastewater System	PM	Inspection	1	MONTHS	Alarm Dialer Route (1m)- 1541	COMP	1 1 22 12:00 AM	4 4 22 10:41 AM	4 4 22 10:41 AM	
2617012			1541, Mattawa Wastewater System	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1541	COMP	1 1 22 12:00 AM	4 4 22 10:41 AM	4 4 22 10:41 AM	
2621831			1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Pump Submersible Group Inspection (1m) 1541	COMP	1 1 22 12:00 AM	4 4 22 10:42 AM	4 4 22 10:42 AM	
2636926	000012888	TANK STORAGE ALUM	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Tank Alum Inspection (1m)- 1541	COMP	1 16 22 12:00 AM	4 4 22 10:42 AM	4 4 22 10:42 AM	
2662922			1541, Mattawa Wastewater System	PM	Inspection	1	MONTHS	Alarm Dialer Route (1m)- 1541	COMP	2 1 22 12:00 AM	4 4 22 10:45 AM	4 4 22 10:45 AM	
2662984	000012889	PUMP PERISTALTIC 01	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	YEARS	Pump Peristaltic 01 Alarm Insp Service (1y)- 1541	COMP	2 1 22 12:00 AM	4 4 22 10:46 AM	4 4 22 10:46 AM	
2678251	000012888	TANK STORAGE ALUM	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Tank Alum Inspection (1m)- 1541	COMP	2 16 22 12:00 AM	4 4 22 10:47 AM	4 4 22 10:47 AM	
2709662			1541, Mattawa Wastewater System	PM	Inspection	1	MONTHS	Alarm Dialer Route (1m)- 1541	COMP	3 1 22 12:00 AM	4 4 22 10:51 AM	4 4 22 10:51 AM	
2708662			1541, Mattawa Wastewater System	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1541	COMP	3 1 22 12:00 AM	4 4 22 10:51 AM	4 4 22 10:51 AM	
2710352			1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Pump Submersible Group Inspection (1m) 1541	COMP	3 1 22 12:00 AM	4 4 22 10:51 AM	4 4 22 10:51 AM	
2724070	000012888	TANK STORAGE ALUM	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Tank Alum Inspection (1m)- 1541	COMP	3 16 22 12:00 AM	4 4 22 10:55 AM	4 4 22 10:55 AM	
2664811	000012889	PUMP PERISTALTIC 02	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	YEARS	Pump Peristaltic 02 Alarm Insp Service (1y)- 1541	COMP	2 1 22 12:00 AM	4 4 22 10:46 AM	4 4 22 10:46 AM	
2664218			1541, Mattawa Wastewater System	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 1541	COMP	2 1 22 12:00 AM	4 4 22 10:46 AM	4 4 22 10:46 AM	
2666202			1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Pump Submersible Group Inspection (1m) 1541	COMP	2 1 22 12:00 AM	4 4 22 10:47 AM	4 4 22 10:47 AM	
2678312	000012887	GENERATOR ELECTRIC DIESEL BACKUP POWER	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Generator Monthly Test (1m) 1541	COMP	2 1 22 12:00 AM	4 4 22 10:47 AM	4 4 22 10:47 AM	
2678480	000012882	GENERATOR ELECTRIC DIESEL 601 MCKENZIE ST	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Generator Monthly Test (1m) 1541	COMP	2 1 22 12:00 AM	4 4 22 10:47 AM	4 4 22 10:47 AM	
2678482	000012890	GENERATOR ELECTRIC DIESEL	1541, Mattawa Wastewater System	PM	Refurbish Replace Repair	1	MONTHS	Generator Monthly Test (1m) 1541	COMP	2 1 22 12:00 AM	4 4 22 10:47 AM	4 4 22 10:47 AM	

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1541*
 Work Order Type CAP,CORR,OPER,PM
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	



Appendix C – Call-out Report for WTP

Workorder Summary Report

Report Start Date: Jan 1, 2022 12:00 AM
 Report End Date: Mar 31, 2022 11:59 PM
 Location: 1517*
 Work Order Type: CALL, EMER
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	Work Order		PM Schedule		Work Order Description	Status	Workorder Details		
				Type	Class	FREQ	Units			Schedule Start	Actual Start	Actual Finish
2224679			Mattawa DWS	EMER	Refurbish Replace Repair	0		1517 Mattawa Main Plant PLC spare	COMP	1 11 22 09 01 AM	1 11 22 09 01 AM	Spare plant PLC - Critical spare part required
2224414			1517 Mattawa DWS	EMER	Refurbish Replace Repair	0		UV System Critical Spare Parts	COMP	1 8 22 12 57 PM	1 8 22 12 57 PM	UV System Critical Spare Parts - Order 2 UV lamp kits and 3 ballasts for critical spare part inventory
2225632			1517 Mattawa DWS	EMER	Refurbish Replace Repair	0		UV System 2 Spare Bulbs	COMP	1 21 22 08 04 AM	1 21 22 08 04 AM	UV System 2 Spare Bulbs - 2 spare bulbs needed for UV1
2617262			1517 Mattawa DWS	EMER	Inspection	0		150 7th St structure fire	COMP	1 11 22 04 00 PM	1 11 22 07 00 PM	150 7th St structure fire - Called by Mattawa fire for a structure fire on 7th st. Estimated PI was on - completed check of hydrant that the fire dept was using all OK. Shot off water to the house as per request of Fire Dept. Put pump back in hand once fire dept was done with operations. Estimated Mattawa PW was available for hydrant maintenance upon completion of fire operations.
2617194			1517 Mattawa DWS	CALL	Refurbish Replace Repair	0		PLC Fail 1517	COMP	1 11 22 09 00 PM	1 11 22 10 15 PM	PLC Fail 1517 -Called by Truesdell for PLC Fail at WTP. Remotely review of SCADA found the plant to be in low level alarm. Plant switched to UV1 which is still out of service. Switch to UV2 plant started OK.
2617192			1517 Mattawa DWS	CALL	Refurbish Replace Repair	0		Low Water Pressure 677 Mattawa ST-1517	COMP	2 6 22 02 00 PM	2 6 22 03 00 PM	Low Water Pressure 677 Mattawa ST-1517 -Called by Mattawa Call center for Low water pressure at 677 Mattawa St. I contacted the Resident, he was having issues with low water pressure and cloudy water. No other issues from the same apt building. I advised to contact the land lord and see if there was an issue with the PRV. I checked the reservoir level and there was lots of water in it. Will inform Mattawa PW to follow up JD.

Workorder Summary Report

Report Start Date: Jan 1, 2022 12:00 AM
 Report End Date: Mar 11, 2022 11:59 PM
 Location: 1517*
 Work Order Type: CALL, EMER
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details					
				Type	Class	FRQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	Worklog Detail
222101			1517 Matawa DWS	CALL	Refresh Replace Repair	0		Possible water break 590 Pipe	COMP		2/21/22 02:30 PM	1/4/22 11:34 AM	Possible water break 590 Pipe - Notified by Town Call centre at 1:29 for a possible water break at the top of brook and pipe st. Arrived found water running down Brooke St, upon further investigation I found the cause to be a frozen catch out, I contacted PW supervisor Barry J and informed him of the situation
222201			1517 Matawa DWS	CALL	Refresh Replace Repair	0		High Chlorine Alarm	COMP		1/9/22 02:30 AM	1/9/22 05:00 AM	High Chlorine Alarm - Received call for High Chlorine. Arrived on-site and reset chlorine pump. Reduced stroke on pump from 70% to 55%. Started plant using well pump #1. Monitored process until stabilized.
222211	0000128504	ANALYZER CHLORINE PHASE 102	1517 Matawa DWS	CALL	Compliance	0		Low Chlorine Alarm	COMP		1/5/22 11:15 AM	1/5/22 01:00 PM	Low Chlorine Alarm - Arrived onsite to find plant not running. Distribution chlorine analyzer was in lockout due to low chlorine. PHC analyzer was reading 1.65mg/l. Checked the flow cell for distribution analyzer. Found flow had stopped. Opened the water valve more, water started flowing once again. Put the plant in hand as to not start if the residual comes back up. Compared Analyzer to hand held and found it to be different. The flow cell was very dirty. I shut off the water source and changed out the flow cell for a clean one. Put the flow cell back online and waited for the values to stabilize. Once the values had stabilized I checked against the hand-held meter again. The two were within allowed range. Put the plant back in hand and it started and ran normal.

Workorder Summary Report

Report Start Date Jan 1 2022 12:00 AM
 Report End Date Mar 31 2022 11:59 PM
 Location 1517*
 Work Order Type CALL/EMR
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2222241	0000128771	UV LIGHT REACTOR #2	1517, Mattawa DWS	CALL	Refurbish Replace Repair	0		UV 2 Fail Alarm-1517	COMPL		15 22 07 10 AM	15 22 10 00 AM	UV 2 Fail Alarm-1517 Onsite for UV Fail alarm. Called by trustee @ 0733 for UV 2 Fail alarm. Arrived to find plant not running due to UV2 bulb # 1 fail. Changed Bulb #1 in UV2. Switched out the sleeve as well, due to there being debris inside the sleeve. Reset all alarms and switched to UV 2 as duty. Plant started and ran No issues.
2222242	0000128799	PANEL CENTER # UV #2	1517, Mattawa DWS	CALL	Refurbish Replace Repair	0		major uv 2 alarm- UV 2 Ballast Fail-1517	COMPL		2 28 22 04 15 AM	2 28 22 05 10 AM	major uv 2 alarm- UV 2 Ballast Fail-1517 - UV 2 was found to have a ballast 2 fail under high temp issue. Attempted to reset the uv. Ballast 2 failed once again. Pulled ballast 2 and replaced with a spare. All seems to be running ok now. Sent out an email for additional spare parts
2222243			1517, Mattawa DWS	CALL	Compliance	0		low high chlorine alarm-1517	COMPL		2 2 22 02 15 AM	1 2 22 04 10 AM	low high chlorine alarm-1517 - Opened various water valves and taps in the plant to flush back, to lower chlorine residual as it was in the high 3's. flushed until the residual was below 2.5 mg/L. Which unlocked the plant lockout and restarted the plant. Switched duty to P1 as the new batch of chlorine spiked on p2

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1517*
 Work Order Type CALL,EMER
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2722200			1517, Mattawa DWS	CALL	Compliance	0		Power Outage 1517 1541	COMP		1 6 22 04 45 AM	1 6 22 04 45 PM	Power Outage 1517 1541 - Called by resident at 0443 For Block St alarm. Arrived in town to find power outage through half the town. 100 Mattawa Generator was running. Power switched at approx 0815 to opposite half of town. Monitored all stations hourly for any potential user down. Power went out for all of town at 0854. Checked all stations hourly from 0854-1500 when power returned. There were no overflow issues. Once power returned, checked all stations once again, reset pumps and alarms where needed and checked generator had all shut down. Took the break from 1245-1345
2725938			1517, Mattawa DWS	EMER	Refurbish Replace Repair	0		Water Main Repair at 333 Main St-1517	COMP		3 14 22 12 04 PM	3 24 22 12 07 PM	Water Main Repair at 333 Main St-1517 - Emergency water repair at 333 Main St mattawa. Replaced 4' of copper at the main stop. Assisted Mattawa PW due to shortage of staff
2725941			1517, Mattawa DWS	EMER	Refurbish Replace Repair	0		Emergency Repair at 191 McCumnd St(BWA)-1517	COMP		3 15 22 12 07 PM	3 15 22 08 00 PM	Emergency Repair at 191 McCumnd St(BWA)-1517 - Called by Mattawa call centre for emergency water repair due to contractor pulling off a curbstop from main service. Shut down water main to 30 residents due to uncontrolled water. Once the contractor emptied the creek station they found the leak and replaced the curbstop. Samples were taken once the water was restored due to BWA in effect due to the shut down
2725943			1517, Mattawa DWS	EMER	Refurbish Replace Repair	0		Emergency Water Repair 541 Donald St-1517	COMP		3 16 22 09 00 AM	3 16 22 06 00 PM	Emergency Water Repair 541 Donald St-1517 - Emergency line replacement and curb stop due to deterioration of the copper and broken off curbstop. Replaced entire service

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1517*
 Work Order Type CALLENDER
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				Worklog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
1517-01			1517, Matawa DWS	CALL	Refurbish Replace Repair	0		Service leak at 199 McCord St	CRMP		2/16/22 12:30 AM	2/16/22 02:30 AM	Service leak at 199 McCord St. Received call for water break. Called tenant of building and he informed me that water was entering the basement. Met Barry Jackson on site to turn off service line. Called tenant back, he confirmed water stopped entering building. I ask him to please let him know in the morning that the service has been shut off.



Appendix D - Call-out Report for WWTL

Workorder Summary Report

Report Start Date Jan 1, 2022 12:00 AM
 Report End Date Mar 31, 2022 11:59 PM
 Location 1541*
 Work Order Type CALL FEMER
 Work Order Class

WO #	Asset ID	Asset Description	Location Description	Work Order		PM Schedule		Workorder Details				WorkLog Detail	
				Type	Class	FREQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
2612975			1541 Mattawa Wastewater System	CALL	Refurbish Replace Repair	0		False high level alarm at Mattawa P S	COMP		1 10 22 01 15 AM	1 10 22 10 00 AM	False high level alarm at Mattawa P S. -Received call for high level at the Mattawa Street pump station. When I arrived on site both pumps were running dry. The high alarm was not needed because it was false it was causing pumps to continuously run. Tried to troubleshoot the issue but concluded that entry must be done in order to further investigate. Operated pumps manually until Josh Demard started his shift. Hi Hi float was faulty. Replaced float with new one and watched cycle complete successfully.



Appendix E - Performance Assessment Report Water

Mattawa Drinking Water System
Performance Assessment Report Water

Report extracted 05/13/2022 10:33

01/01/2022 to 31/03/2022

Facility: [1517] MATTAWA DRINKING WATER SYSTEM

Works: [210001905]

	01/2022	02/2022	03/2022	<--Total-->	<--Avg-->	<--Max-->	<--Min-->
Flows:							
Raw Flow: Monthly Total - Well #1 (m ³)	41736.62	38841.16	45716.77	126294.55			
Raw Flow: Monthly Total - Well #2 (m ³)	3348.38	4087.57	4895.71	12331.66			
Raw Flow: Monthly Avg - Well #1 (m ³ /d)	1346.34	1387.18	1474.73		1402.75		
Raw Flow: Monthly Avg - Well #2 (m ³ /d)	108.01	145.98	157.93		137.31		
Raw Flow: Monthly Max - Well #1 (m ³ /d)	1510.04	1644.32	1966.49			1966.49	
Raw Flow: Monthly Max - Well #2 (m ³ /d)	417.61	424.17	382.03			424.17	
Raw Flow: Monthly Total - Raw Water - Total (m ³)	45085	42926.73	50612.48	138626.21			
Raw Flow: Monthly Avg - Raw Water - Total (m ³ /d)	1454.35	1533.17	1632.66		1540.06		
Raw Flow: Monthly Max - Raw Water - Total (m ³ /d)	1675.83	1950.25	2130.68			2130.68	
Turbidity:							
Raw: Max Turbidity - Well #1 (NTU)	0.25	0.26	0.27			0.27	
Raw: Max Turbidity - Well #2 (NTU)	0.31	0.29	0.3			0.31	
Chemical Parameters:							
Treated: Max Nitrite - TW (mg/L)	< 0.1					< 0.1	
Treated: Max Nitrate - TW (mg/L)	1.53					1.53	
Distribution: Max THM - DW (µg/l)	< 2					< 2	
Chlorine Residuals:							
Treated: Min Free Cl ₂ Resid - TW (mg/L)	0.661	0.532	0.204				0.204
Treated: Max Free Cl ₂ Resid - TW (mg/L)	4.119	3.475	4.118			4.119	
Dist: Min Free Cl ₂ Resid - DW (mg/L)	0.826	0.754	0.214				0.214
Dist: Max Free Cl ₂ Resid - DW (mg/L)	2.481	2.953	3.387			3.387	
Bacti Samples Collected:							
Raw Bacti: # of samples - Well #1	4	4	5	13			
Raw Bacti: # of samples - Well #2	4	4	5	13			
Treated Bacti: # of samples - TW	4	4	5	13			
Dist Bacti: # of samples - DW	12	12	21	45			
Treated Bacti: # of TC exceedances - TW	0	0	0	0			
Treated Bacti: # of EC exceedances - TW	0	0	0	0			
Dist Bacti: # of TC exceedances - DW	0	0	0	0			
Dist Bacti: # of EC exceedances - DW	0	0	0	0			



Appendix F - Performance Assessment Report Wastewater

Mattawa Wastewater Treatment Lagoon
Performance Assessment Report Wastewater/Lagoon

Report extracted 05/12/2022 11:42

01/01/2022 to 31/03/2022

Facility [1541] MATTAWA WASTEWATER TREATMENT FACILITY

Works [110000436]

	01/2022	02/2022	03/2022	<-Total-->	<-Avg-->	<-Max-->
Flows:						
Raw Flow: Total - Raw (m³)	75268 00	24673 00	32231 00	82172 00		
Raw Flow: Avg - Raw (m³/d)	815 10	881 18	1039 71		912 00	
Raw Flow: Max - Raw (m³/d)	1020 00	983 00	1481 00			1481 00
Eff Flow: Total - Eff (m³)	75268 00	24673 00	32231 00	82172 00		
Eff Flow: Avg - Eff (m³/d)	815 10	881 18	1039 71		912 00	
Eff Flow: Max - Eff (m³/d)	1020 00	983 00	1481 00			1481 00
Carbonaceous Biochemical Oxygen Demand: CBOD:						
Eff: Avg cBOD5 - Eff (mg/L)	13 700	8 100	14 200		12 000	14 200
Eff: # of samples of cBOD5 - Eff (mg/L)	1	1	1	3		
Loading: cBOD5 - Eff (kg/d)	11 167	7 138	14 764		11 023	14 764
Biochemical Oxygen Demand: BOD5:						
Raw: Avg BOD5 - Raw (mg/L)	84 600	115 600	95 100		98 433	115 6
Raw: # of samples of BOD5 - Raw (mg/L)	1	1	1	3		
Eff: Avg BOD5 - Eff (mg/L)	16 400	9 300	14 500		13 400	16 400
Eff: # of samples of BOD5 - Eff (mg/L)	1	1	1	3		
Loading: BOD5 - Eff (kg/d)	13 368	8 195	15 076		12 213	15 076
Percent Removal: BOD5 - Raw (mg/L)	0 000	0 000	0 000			0 000
Total Suspended Solids: TSS:						
Raw: Avg TSS - Raw (mg/L)	143 000	158 000	138 000		146 333	158 000
Raw: # of samples of TSS - Raw (mg/L)	1	1	1	3		
Eff: Avg TSS - Eff (mg/L)	11 500	14 700	10 000		12 067	14 700
Eff: # of samples of TSS - Eff (mg/L)	1	1	1	3		
Loading: TSS - Eff (kg/d)	9 374	12 953	10 397		10 908	12 953
Percent Removal: TSS - Raw (mg/L)	0 000	0 000	0 000			0 000
Total Phosphorus: TP:						
Raw: Avg TP - Raw (mg/L)	3 030	2 85	2 260		2 713	3 030
Raw: # of samples of TP - Raw (mg/L)	1	1	1	3		
Eff: Avg TP - Eff (mg/L)	1 188	1 373	1 736		1 432	1 736
Eff: # of samples of TP - Eff (mg/L)	4	4	5	13		
Loading: TP - Eff (kg/d)	0 962	1 172	1 643		1 259	1 643
Percent Removal: TP - Raw (mg/L)	0 000	0 000	0 000			0 000
Nitrogen Series:						
Eff: Avg TAN - Eff (mg/L)	17 233	18 000	16 540		17 258	18 000
Eff: Avg NO3-N - Eff (mg/L)	< 1 000	< 1 000	49 900		< 17 300	49 900
Eff: # of samples of NO3-N - Eff (mg/L)	1	1	1	3		
Eff: Avg NO2-N - Eff (mg/L)	< 0 100	< 0 100	9 950		< 3 383	9 950
Eff: # of samples of NO2-N - Eff (mg/L)	1	1	1	3		
Disinfection:						

From: AMO Communications <Communicate@amo.on.ca>
Sent: May 12, 2022 10:01 AM
To: Info
Subject: AMO Watchfile - May 12, 2022

4.9

AMO Watchfile not displaying correctly? [View the online version](#)
 Add Communicate@amo.on.ca to your safe list



May 12, 2022

In This Issue

- Provincial Election watch.
- Call for nominations to AMO Board of Directors.
- PJ Marshall Awards - Call for submissions for 2022.
- AMO 2022 Early Bird registration rate ends tomorrow!
- Request for provincial delegation meetings now open.
- Advanced Land Use Planning Training - A Deeper Dive: May 31 virtual session.
- Jump-start your digital transformation with an e-signature solution.
- Have you reported your energy consumption yet?
- Canoe vendor spotlight: CORE, Vaisala.
- Streetlogix info session May 26.
- Blog - Let's talk about Energy Training.
- A digital CRM/311 solution for municipalities.
- Register for OMSSA's Anti-Black Racism workshop.
- Careers: Wellington North, MNDMNR, Huron East and Clarence-Rockland.

AMO Matters

Visit the AMO website to review [AMO's 2022 Provincial Election Strategy](#) and election monitoring updates. Follow AMO on [Twitter](#) and [LinkedIn](#) and share election updates with your networks.

Please be advised that in accordance with the Association's governing by-law, the Secretary-Treasurer is requesting nominations to the 2022-2024 AMO Board of Directors. [Nomination package available here.](#)

Every year at the AMO Conference the [PJ Marshall Awards](#) recognize municipal excellence and innovation in capital projects, operating efficiencies, and new approaches to service delivery. If you have something you are proud to share, the deadline for [2022 submissions](#) is May 27, 2022.

Eye on Events

You have until tomorrow, Friday May 13 to take advantage of the AMO 2022 early bird registration rate. That is soon! The City of Ottawa awaits AMO delegates August 14 - 17, 2022.

Registered AMO conference delegates can now request an in-person meeting with a minister or parliamentary assistant at the AMO conference. The deadline to submit your request is June 24, 2022.

AMO has developed advanced land use planning training that supports Ontario's elected officials in the strategic decision making and management of the many facets of land use planning. Limited space available. Register here.

As municipalities move from paper to electronic filing, authentication of these files is a critical challenge. On May 25 at 12 pm ET, join AMO's partner, Notarius, and learn how ConsignO Cloud can reduce the signing time of documents and allow anyone to sign legally reliable documents electronically with a phone, a tablet, or a computer. Register here.

LAS

Get a jump on energy reporting! The Ministry of Energy is now accepting annual energy reports under O. Reg. 507/18. Reporting is for energy used in 2020 and due by July 1, 2022. Ministry hosted reporting webinars will be from 11 am to 12 pm on June 7 and 21. For questions, email BPSsupport@ontario.ca.

We're pleased to welcome two new vendors to the Canoe Procurement Group. CORE offers revenue management, POS, citizen engagement, payment processing, and other services. Vaisala provides monitoring, detection, and warning systems for lightning and thunderstorms. Contact Simon to learn more about these services, and how buying through Canoe saves time and money.

The LAS Road & Sidewalk Assessment Service helps you to expertly manage your most expensive assets. Join us on May 26 for a deep dive into the Streetlogix software - learn how to plan projects, set service levels, and project future budget scenarios. Register here.

LAS' customer service representative interviews our Energy Training Workshop partner to learn how municipal staff can help municipalities efforts to be more energy efficient.

AMO Partnerships

Frequency Foundry offers members a scalable, intuitive, and affordable digital citizen relationship management (CRM)/311 solution through its Signal system. Built on the Microsoft Dynamics 365 and Azure platforms, Signal allows you to manage service requests and engage with residents seamlessly. Contact Charles Finstad for more information and preferred pricing.

Municipal Wire*

On May 24 and 25, learn how to create inclusive environments while contributing to positive work spaces for people of colour through OMSSA's Anti-Black Racism: Building Understanding workshop. Register today.

Careers

Chief Administrative Officer - Township of Wellington North. Responsible for the strategic leadership and efficient delivery of all the municipality's administrative and operational services. Apply to careers@waterhousesearch.ca by May 30.

Manager, Transportation Infrastructure Unit - Ministry of Northern Development, Mines, Natural Resources and Forestry. Provides direction on transportation and infrastructure in Northern Ontario and in the delivery of transportation infrastructure programs, including the Northern Highways Program and the Northern Ontario Resource Development Support Fund. [Apply online](#) by May 20.

Director of Finance/Treasurer - Municipality of Huron East. Responsible for performing all statutory duties of the Treasurer in accordance with the Municipal Act and other legislation. Apply to cao@huroneast.com by May 30.

Chief Administrative Officer - City of Clarence-Rockland. Must have the vision to develop and implement operational plans and ensure the coordination of services which align to and support our strategic priorities. Apply to pgauthier@prescott-russell.on.ca by May 27.

About AMO

AMO is a non-profit organization representing almost all of Ontario's 444 municipal governments. AMO supports strong and effective municipal government in Ontario and promotes the value of municipal government as a vital and essential component of Ontario's and Canada's political system. Follow [@AMOPolicy](#) on Twitter!

AMO Contacts

[AMO Watchfile](#) Tel: 416.971.9856

[Conferences/Events](#)

[Policy and Funding Programs](#)

[LAS Local Authority Services](#)

[MEPCO Municipal Employer Pension Centre of Ontario](#)

[ONE Investment](#)

[Media Inquiries](#)

[Municipal Wire, Career/Employment and Council Resolution Distributions](#)

AMO's Partners



*Disclaimer: The Association of Municipalities of Ontario (AMO) is unable to provide any warranty regarding the accuracy or completeness of third-party submissions. Distribution of these items does not imply an endorsement of the views, information or services mentioned.



Please consider the environment
before printing this.

Association of Municipalities of Ontario
200 University Ave. Suite 801, Toronto ON Canada M5H 3C6
To unsubscribe, please [click here](#)



**TOWNSHIP OF
EAST HAWKESBURY**
5151 County Road 14, P.O. Box 340
St-Eugène, Ontario, K0B 1P0
Tel.: 613 674-2170 Fax: 613 674-2989
www.easthawkesbury.ca

copy to agenda

**CANTON DE
HAWKESBURY EST**
5151 Chemin de Comté 14, C.P. 340
St-Eugène, Ontario, K0B 1P0
Tél.: 613 674-2170 Téléc.: 613 674-2989
www.hawkesburyest.ca

4.10

THE OFFICE OF THE CLERK
Township of East Hawkesbury
5151 County Road 14
St-Eugene, ON K0B 1P0
613.674.2170 ext 1010
hvilleneuve@easthawkesbury.ca

May 9, 2022

VIA EMAIL ONLY

The Honorable Doug Ford
Premier of Ontario
Legislative Building
Queen's Park
Toronto, ON M7A 1A1
premier@ontario.ca

Attention: Premier Ford

Re: Funding Support for infrastructure Projects- Bridge and Culvert Replacements in Rural Municipalities

Please be advised that the on May 9. The Council of the Township of East Hawkesbury resolved the following:

Resolution Num: 2022-

That Council for the Township of East Hawkesbury accept for information the April 20, 2022 correspondence from Township of Clearview regarding their letter to Premier Ford for funding support for infrastructure projects, bridge and culvert replacements in rural municipalities; and

That Council support the Township of Clearview May 9, 2022 resolution requesting that Federal and Provincial Governments to provide more funding to rural municipalities to support infrastructure projects related to major bridge and culvert replacements; and

That Council direct that this resolution be forwarded to Ontario municipalities, AMO, Premier of Ontario, Provincial Minister of Finance, Federal Finance Minister and ROMA for support.

Please accept this for your consideration and any necessary action.

Regards,

Hemi Villeneuve
Municipal Clerk

cc:

Hon. Peter Bethenfalvy, Ontario Minister of Finance minister.fin@ontario.ca

Hon. Chrystia Freeland, Federal Minister of Finance chrystia.freeland@fin.gc.ca ROMA roma@roma.on.ca

AMO amo@amo.on.ca

All Ontario Municipalities

Francine Desormeau

From: Crescent Creations <crescentcreationsbytam@gmail.com>
Sent: May 6, 2022 5:46 PM
To: Francine Desormeau
Subject: From-Turcottes Chipstand

copy to agenda
4.11

Dear Town Of Mattawa and Council,

We, Turcotte's Chipstand wanted to take this opportunity to give thanks to the town of Mattawa and everyone included in the opportunity being offered with tendering available spaces in Annie's Park.

We just wanted to send this in by the end of this week as we tried to find alternatives. Unfortunately due the terms and conditions set for the park, they will not be able to be met by our Chipstand. We spoke with Renee, who mentioned these days are a must for anyone occupying space in the park.

Saturdays we are already fully committed to our other Business Catch-Light Wedding Photography and we would be closed all Saturdays as well as some random weekends too. We realize this is not ideal for the plan set.

We regret to inform you, we will not be applying for the space. As we won't meet the requirements.

We genuinely appreciate the offer and look forward to seeing this town grow with new opportunities and business ideas in place 😊

Much Love,
Dan & Tam Turcotte



4.12

1000 High Street
North Bay, Ontario P1B 6S6
Tel: 705.472.1201 • Fax: 705.472.0507
Web Site: www.npsc.ca

copy to agenda
orig to Nip-Parry Sound
Catholic District
School Board
file

May 5, 2022

Francine Desormeau
CAO, Town of Mattawa
francine.desormeau@mattawa.ca

Dear Francine:

On behalf of the Nipissing-Parry Sound Catholic District School Board, we wish to extend to you our appreciation for your recent participation in our linkage activity and dialogue held on April 5, 2022. We were quite pleased and impressed with the overall participation and the valuable contributions of all participants.

We are very encouraged by the dialogue around our four key questions about our Ends statements which describe the long-term results and impacts that the Nipissing-Parry Sound Catholic DSB would like to produce in our communities. While it has become clear by your responses that we are on the right track with these statements, the following common themes emerged from our conversations:

- *Connection to faith and cultural traditions in order to develop and enhance an acceptance of and appreciation for diversity as important to prepare for a globally connected society.*
- *Communication and interpersonal skills as necessary for collaboration, problem-solving and teamwork.*
- *Self-advocacy, adaptability, perseverance, and resilience as attributes that promote independence, well-being, commitment and successful future employees.*
- *Maintaining a strong connection to the local community, and becoming involved in activities and opportunities to make meaningful contributions.*
- *Making use of the natural resources of the surrounding area to provide opportunities for outdoor education and experiential learning in order to build confidence, stewardship and responsibility for the natural environment.*

The insights you provided at this session will most certainly be helpful to us as we review our Ends prior to the end of our next four-year term. As you know, the Board of Trustees has made engaging in a dialogue with its owners a priority during their term and we appreciate you allowing us to hear what you have to say about the outcomes our Board strives to achieve. We would welcome any future opportunities to dialogue with you once again.

We look forward to continuing our learning journey with you as important partners. Thank you for making our dialogue such a great success!

Sincerely,

Leo de Jourdan
Chair

c. NPSC Trustees



F.J. McELLIGOTT SECONDARY SCHOOL

470 Pine Street, Box 100, Mattawa, ON P0H 1V0 • Phone (705) 472-5720 Fax (705) 744-0786

RECEIVED

MAY 09 2022

copy to agenda
copy to Amy
4.13

May 5, 2022

To Whom It May Concern,

High school graduation is an exciting and important milestone in the lives of every student. Even in the face of challenging circumstances, here at FJ we are looking forward to a Graduation Ceremony to honour our students' accomplishments. We are seeking your support in the form of a donation for the graduating class of 2022. The decision to donate and/or the amount of the award is completely up to you. A receipt for income tax purposes can be issued upon request. Please note that cheques are to be made payable to the Near North District School Board if you require a receipt.

Due to the individual nature of each graduating class, it may be necessary to modify your bursary description. If you would like to be notified of any changes, please email at the address below. If this is your first time donating, please provide us with a brief description of the award for our selection committee and graduation program. Please note that in order for your award to be included in our graduation program, your donation must be received no later than June 10, 2022.

This year's graduation will be held on Tuesday June 28th at 4:00 pm in the school gymnasium. We would appreciate it if you would let us know in advance if you plan to attend the ceremony and present your award. If you are unable to attend, we will make arrangements for the presentation on your behalf.

To arrange pick up of your donation, please contact Judy.Dupuis@nearnorthschools.ca or phone the school at 705-472-5720 ext 8102.

I trust you will give this request your careful consideration. Please don't hesitate to reach out with any questions or concerns.

Your truly,

Judy Dupuis

Judy Dupuis
Student Services
FJ McElligott ISS

Encl. response card



École secondaire catholique Élisabeth-Bruyère

359, rue Brydges – Mattawa, On, C.P. 1010 – P0H1V0

Téléphone (705)744-5505 - Télécopieur (705)744-0899

copy to agenda
copy to Amy

4.14

May 4th, 2022

To whom this may concern,

Graduation, an important moment in the lives of our students, is fast approaching. We are seeking your support in the form of a donation for the graduating class of 2022. The amount of the award is completely up to you. A receipt for income tax purposes can be issued upon request.

The generosity of our community is very important to us. We appreciated the support of the graduating class of École secondaire catholique Élisabeth-Bruyère last year. We hope to renew past partnerships and to establish new and enduring ones this year.

Due to rotating and changing classes, it may be necessary to modify your bursary description. If you would like to be notified of any changes, please indicate it on your response card. If you did not donate last year, please provide us with a brief description of the award for our selection committee and graduation program. Please note that in order for your award to be included in our graduation program, your donation must be received no later than June 10th, 2022.

This year's graduation will be held on Tuesday, June 28th at 7:00 p.m. in the school gymnasium. We would appreciate you letting us know in advance if you plan to attend the ceremony and present your award by indicating it on the enclosed response card. If you are unable to attend, we will make arrangements for the presentation on your behalf.

I trust you will give this request your careful consideration.

Yours truly,

G Auger

Gilles Auger
Principal

encl; response card



Township of Horton

2253 Johnston Rd. Renfrew, ON K7V 3Z8

(o) 613-432-6272

(f) 613-432-7298

reception@hortontownship.ca

Copy to agenda

4.15

CERTIFIED TRUE COPY

Moved by: Councillor Webster

Resolution No.: 2022-118

Seconded by: Councillor Humphries

May 3, 2022

THAT The Township of Horton Council support the Township of Clearview February 7, 2022 resolution requesting that Federal and Provincial Governments to provide more funding to rural municipalities to support infrastructure projects related to major bridge and culvert replacements;

AND FURTHER THAT Council direct that this resolution be forwarded to Ontario municipalities, AMO, Premier of Ontario, Provincial Minister of Finance, Federal Finance Minister and ROMA for support.

X CARRIED


Hope Dillabough, CAO/Clerk

Sunday May 1st, 2022

copy to agenda
(FYI)
RECEIVED
MAY 17 2022
4.16

Dear : *Francine Desormeau*

The Mattawa Minor Hockey Association is hosting its Annual Men's and Co-ed Slo-pitch Tournament the weekend of July 29th, 30th, 31st and August 1st.

The application for a special occasion permit held in the parking lot between the Mike Rodden Arena and Mattawa Ballfield will be for the following dates and times:

FRIDAY July 29th, 2022 from 6pm to 1am

SATURDAY July 30th, 2022 from 11am to 1am

SUNDAY July 31st, 2022 from 11am to 1am


MONDAY August 1st, 2022 from 11am to 7pm

This tournament is our Association's major fundraiser. The profits from this event help us pay for Ice Rental, game and practice expenses.

Due to fundraising efforts, we are able to keep our registration fees affordable for all families in our community.

I trust this is satisfactory for your records.

Yours Truly,



Ashley Jodouin
Vice President
Mattawa Minor Hockey Executive